

Index

Symbols

- | |, operator, 41
- (, 30
- *, regular expression, 341
- +, regular expression, 340
- ., operator, 35
- >, operator, 102
- flag, *see the flag under the corresponding command*
- name, *see the name under the corresponding letter*
- .*, regular expression, 342
- .\", troff command, 262
- ., 260
- ., regular expression, 341
- /**/, operator, 176
- /**, 231, 261
- /*-, 231
- !flag, *see the flag under the corresponding command*
- ~, 302
- ~, regular expression, 340
- ^], editor command, 343
- ^, regular expression, 341
- <<, operator, 53, 308
- <, 261
- ==, operator, 52
- =, operator, 30, 52
- >>>, Java operator, 53
- >>, operator, 53, 58, 308
- >, 261
- ?, operator, 46, 174
- ?, regular expression, 340
- @(#), revision-id tag, 206
- @, 231, 261
- @code, Texinfo command, 263
- [], 341
- [...], 11
- [^], 341
- \<, regular expression, 341
- \>, regular expression, 341
- \, regular expression, 341
- ##, operator, 176
- \$\$, 259
- \$\$, identifier name, 194
- \$<, identifier name, 194
- \$>, identifier name, 194
- \$?, identifier name, 194
- \$@, identifier name, 194
- \$\$, identifier name, 194
- \$, regular expression, 341
- \$name, *see the name under the corresponding letter*
- %, editor command, 346
- %, regular expression, 340
- %name, *see the name under the corresponding letter*
- &&, operator, 22, 41
- &, operator, 53, 64
- _, 297
- _name, *see the name under the corresponding letter*

460 Index

Digits

05.fastfs, sample, 243
 16-bit, 238
 4GL, 16

A

%A%, revision-id tag, 206
 .a, file extension, 227
 abort, C library, 168
 abstract
 class, *see* class, abstract
 data type, 106, 249, 318
 machine, 113
 Abstract Windowing Toolkit, 286, 329
 abstract, Java keyword, 276, 306
 abstraction, 91
 Acceptor, design pattern, 336
 Access, *see* Microsoft Access
 access method, 304
 ace, sample, 329, 336, 338, 399
 ace_min, 315
 ActionGoToEdit.java, sample, 299
 active class, 13
 Active Object, design pattern, 336
 Active Template Library, 325
 ActiveX, 325
 Ada, 16, 98, 126, 296, 299
 Ada keyword
 package, 299
 use, 299
 with, 299
 Ada-95, 300
 adaptation, 8
 Adaptec, 280
 Adapter, design pattern, 336
 Adaptive Communication Environment, 329,
 338
 adb.c, sample, 108, 109
 adb_direct.c, sample, 108, 109
 Addr.i, sample, 308
 administrator manual, 242
 Adobe FrameMaker, 260
 adornment, 276
 ADT, 106, 318
 aggregation association, 13

agile programming, 8
 aha.c, sample, 281
 aha_done, 281
 aha_finish_ccbs, 281
 aha_intr, 281
 algebraic specification, 318
 algorithms, 245
 alias.c, sample, 119, 120, 233, 246
 aliasing, through pointers, 70
 all, pseudo-target, 194
 alloc.c, sample, 217
 alloca, Unix-specific function, 88
 am-utils.texti, sample, 261
 amd.c, sample, 219
 Amoeba, 158
 AND, bitwise, 53
 AND, logical, 41
 ant, program, 192, 196, 198
 any.cpp, sample, 303
 any.h, sample, 303
 ap_snprintf.c, sample, 234
 apache, program, xxv, 162, 181, 244, 260,
 270, 322, 323
 apache, sample, 399
 API, *see also* under the name of the specific
 API (e.g. Win32)
 documentation, 249
 Java platform documentation, 28, 264
 thread, 162
 providing OS services, 160
 Sun RPC, 272
 Api Spy, 370
 APM, 292
 applet, 20
 AppleTalk, 186
 application, 336
 Application programming interface, *see* API
 apply.c, sample, 35
 apropos, program, 255
 apropos.1, sample, 255
 apropos.pdf, sample, 255
 .Ar, troff command, 262
 arc, 139
 arch, directory name, 183
 arch, sample, 186

- archeology, *see* software archeology
 - architecture, 180
 - centralized repository, 268
 - control models, 285
 - data-flow, 273
 - design pattern, 331
 - distributed, 268
 - domain-specific, 333
 - event-driven, 285
 - framework, 329
 - hierarchies, 282
 - layered, 279
 - non-trivial, 180
 - object-oriented, 275
 - packaging, 292
 - pipes-and-filters, 273
 - reuse, 328
 - state transition, 291
 - system manager, 289
 - \$Archive:\$, revision-id tag, 206
 - arcs.c, sample, 246
 - argc, identifier name, 20
 - ArgoEvent.java, sample, 289
 - ArgoModuleEvent.java, sample, 289
 - ArgoNotationEvent.java, sample, 289
 - ArgoUML, 278
 - argouml, sample, 399
 - args.c, sample, 200
 - argv, identifier name, 20
 - arithmetic.c, sample, 165
 - array, 96
 - as argument, 65
 - associative, 111
 - data structure, 96
 - dynamically allocated, 89
 - index, 111
 - results, 65
 - two-dimensional, 111
 - array.t, sample, 215
 - as, program, 323
 - AS, Modula keyword, 299
 - asc.c, sample, 282
 - asc_disp.out, 212
 - asc_intr, 282
 - ASCII characters, 40
 - ASCII diagram, 256
 - ascmagic.c, sample, 22
 - .asm, file extension, 227
 - .asp, file extension, 227
 - assembly code, *see* symbolic code
 - assert, C library, 218, 220
 - assert, Java method, 220
 - assertion, 28, 55, 56, 217, 219, 220
 - association navigation, 13
 - associative array, 111
 - astosc.c, sample, 213
 - astosc.out, 213
 - asymmetric bounds, 100
 - asynchronous, 143, 165, 167
 - Asynchronous Completion Token, design
 - pattern, 336
 - asynchronous signals, 156
 - at, program, 160
 - at.1, sample, 251
 - at.c, sample, 33
 - at.pdf, sample, 251
 - at, sample, 135
 - ATL, *see* Active Template Library
 - ATM, 186
 - atom.c, sample, 114
 - atrun.c, sample, 160
 - attribute, *see* class, property
 - \$Author:\$, revision-id tag, 206
 - \$Author\$, revision-id tag, 206
 - @author, javadoc tag, 263
 - autoconf, 199, 224
 - AVL tree, 130
 - awk, program, 209, 227, 309, 330, 357, 377
 - .awk, file extension, 227
 - AWT, *see* Abstract Windowing Toolkit
- B**
- B+ tree, 319
 - b4light.c, sample, 108
 - %B%, revision-id tag, 206
 - b, Hungarian prefix, 236
 - .B, troff command, 262
 - backward-list, editor command, 346
 - backward-up-list, editor command, 346
 - bad, C++ library, 24

462 Index

- .bas, file extension, 227
 - base case, 143, 146
 - base class, *see* class, base
 - BaseDirContextTestCase.java, sample, 220
 - Basic, 42, 309, 354
 - basic block, 372
 - basic block coverage analysis, 372
 - .bat, file extension, 227
 - beautifier, 365
 - .BI, troff command, 262
 - bin, directory name, 183
 - binary search, 55, 113
 - binary tree, 126
 - BIND, xxv, 248
 - bio_doread, 281
 - biodone, 281
 - biowait, 281
 - bit field, 77
 - bitwise-AND, 53
 - .B1, troff command, 262
 - blackboard system, 270
 - bless, Perl keyword, 300, 309
 - block, 28, 31
 - block.cpp, sample, 297, 301
 - .bmp, file extension, 227
 - boolean expression, 39
 - boss/worker, 156, 157
 - bpb.h, sample, 77
 - .br, troff command, 262
 - .BR, troff command, 262
 - branch, 203
 - bread, 281
 - break, Java keyword, 38, 39, 152
 - break, keyword, 32, 36, 37, 55, 96, 231
 - breakpoint, 6, 374
 - brelse, 281
 - bremfree, 281
 - BRIEF, 340
 - browser, 365
 - BSD, 195, 225, 226
 - bsearch.c, sample, 56, 320
 - bsearch, C library, 69, 320
 - btree, sample, 125
 - buf, identifier name, 96
 - buffer, 96
 - buffer overflow, 99, 141, 254
 - bufinit, 281
 - bug tracking database, 209
 - bugs, documenting, 251
 - Bugs, manual section, 251, 254
 - Bugzilla, 209
 - build process, 189, 212, 321
 - build.bat, sample, 380
 - build.properties.sample, sample, 198
 - build.xml, sample, 196
 - build, directory name, 183
 - build, pseudo-target, 194
 - bus.h, sample, 176
 - bwrite, 281
 - bytecode, 334
 - .bz2, file extension, 227
 - bzip2, program, 227
- C**
- C, 15, 98
 - C data type, 61
 - C library
 - abort, 168
 - assert, 218, 220
 - bsearch, 69, 320
 - cos, 388
 - ctime, 389
 - ctype, 42
 - EOF, 24
 - exit(1), 43
 - exit, 24, 36, 168
 - ferror, 24
 - fgets, 99
 - fread, 98
 - free, 85, 89
 - fwrite, 98, 280
 - gets, 98, 99
 - isupper, 42
 - longjmp, 168, 169
 - main, 20, 219
 - malloc, 80, 84, 85, 88, 101
 - memcpy, 97, 98
 - memmove, 97

- memset, 97
- NULL, 52, 236
- printf, 23, 73
- qsort, 69, 98
- realloc, 86
- scanf, 99
- setjmp, 169
- signal, 168
- sin, 388
- snprintf, 99
- sprintf, 98, 99
- stdin, 51
- stdio, 280
- strcat, 99
- strcmp, 22, 234
- strcpy, 99
- strdup, 66
- strlen, 72
- strncat, 99
- strncpy, 99
- tm_year, 390
- tolower, 42
- tv_sec, 76
- tv_usec, 76
- vsprintf, 99
- vsprintf, 99
- C preprocessor, *see* preprocessor
- C++, 42, 98, 276, 364
- C++ keyword, *see* keyword
- C++ library
 - bad, 24
 - fail, 24
 - good, 24
 - vector, 100
- C++ operator, *see* operator
- c++decl, program, 368
- C-M-d, editor command, 346
- C-M-m, editor command, 346
- C-M-p, editor command, 346
- C-M-u, editor command, 346
- C#, 98, 227, 276, 300, 304
- C# keyword, *see* keyword
- C# operator, *see* operator
- %C%, revision-id tag, 206
- .c, file extension, 227
- .C, file extension, 227
- c, Hungarian prefix, 236
- @c, Texinfo command, 263
- cache.c, sample, 63
- Cache.java, sample, 234
- cal.c, sample, 34
- Calendar, Java class, 382, 390
- call
 - and return, 285
 - by name, 172
 - by reference, 63, 66
 - graph, 134, 372
- case, keyword, 32, 219, 231
- cat, program, 244
- cat.l, sample, 244, 251
- cat.c, sample, 24, 205, 243
- cat.pdf, sample, 244, 251
- Catalina.java, sample, 22
- catalina, sample, 358
- CatalinaService.java, sample, 23
- catch, Java keyword, 150, 151, 152
- cb, program, 367
- cb, Hungarian prefix, 236
- cbo, Hungarian prefix, 237
- cbrowser, 366
- cc, program, 323
 - E, 361
 - S, 362
- .cc, file extension, 227
- CC, identifier name, 193
- CD-ROM, 14,399
- cdecl, program, 368
- centralized repository, 268
- CFLAGS, identifier name, 193
- CGI, 358
 - .cgi, file extension, 227
- cgram.y, sample, 130
- ch, Hungarian prefix, 236
- change, 252
- CHANGELOG.txt, sample, 397
- ChangeLog, file name, 226, 252
- Changes, file name, 226
- character expression, 39
- Character, Java class, 42
- chatter.h, sample, 305

464 Index

- check in, 203
- checkError, Java method, 24
- checknr.c, sample, 238
- chio.c, sample, 97
- chk, Hungarian prefix, 237
- chown.c, sample, 230
- @cindex, Texinfo command, 263
- circular buffer, 108
- circular list, 122
- cksum.c, sample, 238
- cl, program
 - /E, 361
 - /Fa, 362
- class, 78, 249, 300
 - abstract, 276, 277, 306
 - attribute, *see* class, property
 - base, 272, 300, 365
 - browser, 300
 - constructor, 226, 302
 - derived, 300, 365
 - destructor, 154, 302
 - diagram, 276, 277
 - field, 78, 301, 303
 - finalizer, *see* class, destructor
 - method, 78, 226, 276, 300, 301, 303
 - name, 276
 - operation, *see* class, method
 - property, 78, 226, 276, 325
 - variable, *see* class, property
- .class, file extension, 227
- class, Java keyword, 300
- classes, directory name, 183
- clean, pseudo-target, 194
- Cleanup_Strategies_T.h, sample, 256
- client-server systems, 269, 338
- close, Unix-specific function, 80, 281
- closed range, 100
- closedir, Unix-specific function, 319
- CloseHandle, Win32 SDK, 163
- .cmd, file extension, 227
- cmd, Hungarian prefix, 237
- COBOL, 16
- cocoon, sample, 399
- code
 - as exemplar, 5
 - as literature, 2
 - assembly, *see* symbolic code
 - beautifier, 365
 - browser, 365
 - generation, 212, 334
 - inspections, 9
 - languages, 15
 - object, 360, 362
 - portability, *see* portability
 - reuse, 320
 - searching, 346
 - standards, *see* guidelines
 - symbolic, 360, 362
 - wizard, 328, 330
- codefind.pl, sample, 14
- coding standards, 225, *see also* guidelines
- cohesion, 283, 338
- collaboration diagram, 276
- collect.c, sample, 246
- Column.java, sample, 316, 317
- .com, file extension, 227
- comma operator, 35
- commands.c, sample, 122
- commit, 203
- Common Object Request Broker
 - Architecture, 271
- common, directory name, 183
- compile, directory name, 183
- compiler, 360
- compiler driver, 323
- complete.c, sample, 35
- complex numbers, 309
- component, 180, 325
- Component Configurator, design pattern, 336
- compress, program, 227
- compress.c, sample, 107
- computer networks, 338
- concurrent systems, 289
- Concurrent Versions System, *see* CVS
- condition, 28
- conf.c, sample, 92, 246
- conf, directory name, 183

- conference publications, 259
- config.cache, file name, 199
- config.h.in, file name, 200
- config.h, file name, 199, 200, 226
- config.h, sample, 199
- config.log, file name, 199
- config.status, file name, 199
- config, sample, 211, 215
- config.h.SH, file name, 226
- configuration, 197, 210
- configure, file name, 199, 226
- confpars.c, sample, 334
- conjunction, 41
- connected, 139
- Connector, design pattern, 337
- connector, 278
- connector, sample, 278
- conservative garbage collector, 88
- const, keyword, 64, 360
- constant
 - array size, 113
 - documentation, 40
 - in assertion, 219
 - in conditional expression, 360
 - naming of, 234
 - on left side of comparison, 52
 - preprocessor defined, 361
- constructor, *see* class, constructor
- ContainerBase.java, sample, 151, 286
- containers, 318
- context diff, 209, 331, 355
- ContextConfig.java, sample, 152
- continue, Java keyword, 38, 39, 152
- continue, keyword, 37, 55, 96
- contrib, directory name, 183
- control flow, 143
- control flow statements, 25
- control model, 156, 285
 - boss-worker, 157
 - event-driven, 285
 - multiple process, 159
 - mutual exclusion, 158
 - state transition, 291
 - system manager, 289
 - work crew, 157
- conventions, *see* guidelines
- convolve.c, sample, 104
- Cookies, directory name, 325
- copy constructor, 303
- Copying, file name, 226
- copyright, 20, 413
- CORBA, 271, 325, 329, 337
- corruption, 168
- cos, C library, 388
- coupling, 284, 338
- CPAN.pm, sample, 299
- cpp, program, 323
 - .cpp, file extension, 227
- CPP, identifier name, 193
- crc24.h, sample, 306
- crc32.h, sample, 300
- CreateEvent, Win32 SDK, 163
- CreateMutex, Win32 SDK, 163
- CreateThread, Win32 SDK, 162, 163
- Critic.java, sample, 299
- critical region, 163
- cs4231reg.h, sample, 256
 - .cs, file extension, 227
- cscope, program, 365
- csh, program, 227
 - .csh, file extension, 227
- ctags, program, 343
- ctags.1, sample, 252
- ctags.c, sample, 125
- ctags.pdf, sample, 252
- ctime, C library, 389
- ctype, C library, 42
- cur, Hungarian prefix, 237
- currentThread, Java method, 163
- curses.c, sample, 71
- cursor, 65, 102
- cut.1, sample, 260
- CVS, 5, 50, 203, 208, 224, 268, 355
- CVS, directory name, 183
- cw, Hungarian prefix, 236
- CWEB, 263, 266
 - .cxx, file extension, 227
- cycle, in graph, 131
- Cygwin, 376

466 Index

D

- %D%, revision-id tag, 206
- d, Hungarian prefix, 236
- daemon, 216, 324
- data
 - dictionary, 327
 - element access, 65
 - flow, 324
 - grouping, 75
 - link, 336
 - organization, 76
 - repository, 325
 - structure, 95
 - structure, dynamic allocation, 62
 - structure, linked, 62
 - type, 61, 105, 106, 318
- data-flow architecture, 273
- data-flow diagram, 275
- database triggers, 285
- Database.java, sample, 235, 395
- DatabaseInformation.java, sample, 228
- \$Date: \$, revision-id tag, 206
- date.c, sample, 231
- \$Date\$, revision-id tag, 206
- date, Hungarian prefix, 237
- Date, Java class, 387, 396
- db, 256
- db.h, sample, 91
- db, sample, 319
- DB, Unix-specific function, 319
- db_load.c, sample, 334
- db_update.c, sample, 247
- dbopen, Unix-specific function, 319
- DCOM, 271, 337
- .Dd, troff command, 262
- De Morgan's rules, 41
- dead code, 372
- debug level, 217
- Debug, directory name, 183
- DEBUG, identifier name, 216, 222
- debugger, 373
- debugging output, 216
- decomposition, 180
- Decorator, design pattern, 337
- deep copy, 303
- .def, file extension, 227
- default, keyword, 32
- DefaultContext.java, sample, 298
- defensive programming, 33
- defficiencies, 252
- defs.h, sample, 91, 172
- del, Unix-specific function, 319
- delete, keyword, 167, 168, 302, 303
- deliver.c, ex, 246
- demoGL, sample, 400
- depend, pseudo-target, 194
- dependency
 - graph, 189
 - isolation, 198
 - relationship, 13
- @deprecated, javadoc tag, 263
- deque, 121
- derived class, *see* class, derived
- design pattern, 331, 336, 337
- design specification, 242
- Desktop, directory name, 325
- DESTROY, Perl keyword, 310
- destructor, *see* class, destructor
- /dev/null, file name, 350
- Developer Studio, *see* Microsoft Developer Studio
- development process standards, 239
- device driver, 155
- dgl_dllstartupdialog.cpp, sample, 286
- dhcp, sample, 268
- diagram
 - and architecture modeling, 278
 - ASCII, 256
 - class, 276, 277
 - collaboration, 276
 - data-flow, 275
 - design, 2
 - for understanding code, 375
 - in practice, 337
 - modeling hierarchy, 283
 - object, 276
 - reverse engineering, 278
 - state transition, 247, 291
 - UML, 12, 276

- dialog box, 239
- diff, program, 51, 355, 357
 - b, 356
 - c, 209
 - i, 356
 - w, 51, 356
- differences between files, 355
- dig.c, sample, 76
- .digit, 227
- direct access to memory, 74
- directional, 139
- directory name
 - Cookies, 325
 - Desktop, 325
 - doc, 248
 - Documents and Settings, 325
 - Favorites, 325
 - include/protocols, 269
 - My Documents, 325
 - net, 186
 - src, 181
 - Start Menu, 325
 - see also Table 6.1*, 183
- DirHandle.pm, sample, 309
- disjunction, 41
- disp_asc.c, sample, 212
- disp_asc.out, 212
- dispatch, 306
- Distributed Component Object Model, 271
- ditroff, program, 266
- division, 53
- DLL, 322, 323, *see also* shared library
- DLL hell, 322
- DLL.pm, sample, 311
- .dll, file extension, 227
- d1utils.c, sample, 323
- DNS, 247
- do, keyword, 51, 174
- doc, directory name, 183, 248
- doc, pseudo-target, 194
- doc, sample, 248, 402
- DocBook, 261, 265, 266
- doclets, 265
- docmd.c, sample, 120
- {@docRoot}, javadoc tag, 263
- documentation, 183, 214, 227, 241
 - algorithms, 245
 - bugs, 251
 - change, 252
 - defficiencies, 252
 - identifiers, 246
 - interfaces, 249
 - non-functional requirements, 247
 - overview, 243
 - requirements, 247
 - specifications, 244
 - system structure, 245
 - test cases, 249
 - tools, 214
- Documents and Settings, directory name, 325
- doexec.c, sample, 222
- domain name system, 247
- domain-specific
 - architectures, 333
 - languages, 181, 212, 330
 - protocols, 272
 - tools, 210
- domain.h, sample, 78
- Double Checked Locking, design pattern, 337
- double-ended queue, 121
- doubly linked list, 121
- down-list, editor command, 346
- Doxygen, 261
- dry-run, 223
- .dsp, file extension, 227
- .dsw, file extension, 227
- dt, Hungarian prefix, 237
- .Dt, troff command, 262
- dump, program, 269
- Dump.h, sample, 308
- dumpbin, 363
- dumprestore.h, sample, 269
- .Dv, troff command, 262
- .dvi, file extension, 227
- dw, Hungarian prefix, 236
- dynamic
 - allocation of data structures, 62
 - dispatch, 180, 306

468 Index

- link library, *see* DLL
 - linking, 322
 - memory allocation, 84
 - memory allocation pool, 168
 - shared objects, 322
- E**
- %E%, revision-id tag, 206
 - EBCDIC, 212
 - echo.c, sample, 20
 - Eclipse, 377
 - ed, program, 170, 355
 - ed, sample, 171
 - edge, 62, 125, 131, 134, 137
 - editor, 343
 - editor command, 343
 - edu, directory name, 183
 - eg, directory name, 183
 - egrep, program, 161
 - Eiffel, 126, 276, 296, 300
 - .el, file extension, 227
 - elf.c, sample, 368
 - elf2aout.c, sample, 22
 - Emacs, 227, 229, 340, 344, 345, 365
 - @emph, Texinfo command, 263
 - empty statement, 38
 - encapsulation, 320
 - .encoding, 227
 - @end, Texinfo command, 263
 - endian.h, sample, 92
 - engine.c, sample, 173, 218
 - enum, keyword, 234
 - envelope.c, ex, 246
 - EOF, C library, 24
 - Epsilon, 340
 - eqn, program, 227
 - .eqn, file extension, 227
 - equals, Java method, 23
 - _errno.c, sample, 320
 - error messages, 215, 360
 - Error, Java class, 150, 151
 - Errors, manual section, 223
 - /etc/inetd.conf, file name, 325
 - etc, directory name, 183
 - EtherExpress, 76
 - Ethernet, 279
 - European Conference on Pattern Languages
of Programming, 338
 - eval.c, sample, 31, 125
 - event loop, 286
 - event pump, 286
 - event-driven architecture, 285
 - EventObject, Java class, 289
 - @example, Texinfo command, 263
 - exception, 36, 98, 150
 - Exception, Java class, 150
 - @exception, javadoc tag, 263
 - exclusive range, 100
 - exclusive-or, 114
 - exec, Unix-specific function, 281
 - execution profiler, 372
 - execve.pdf, sample, 223
 - execve, Unix-specific function, 222, 223
 - exercises, 13
 - exit, C library, 24, 36, 43, 168
 - ExitThread, Win32 SDK, 163
 - expand.c, sample, 25
 - expat-lite, sample, 322
 - exponent, 83
 - export, 299
 - Exporter, Perl module, 299
 - expr.c, sample, 130, 149
 - expression
 - boolean, 39
 - character, 39
 - integer, 51
 - pointer, 65, 72
 - ext2, 281
 - ext2fs_readwrite.c, sample, 281
 - ext2fs_vnops.c, sample, 282
 - ext2fs_write, 281
 - ExtendableRendererFactory.java,
 - sample, 332
 - extended linear hashing, 319
 - Extension Interface, design pattern, 337
 - extern.h, sample, 92
 - extern, keyword, 363
 - External Polymorphism, design pattern,
 - 337
 - extra-functional property, 269

- extreme programming, 8, 10, 17, 378
- exuberant ctags, 344
- Eyes.c, sample, 231
- F**
- %F%, revision-id tag, 206
- f771, program, 324
- f, Hungarian prefix, 236
- fail, C++ library, 24
- FALLTHROUGH, 32, 231
- FAQ, 260
- fast file system, 243
- FastDateFormat.java, sample, 220
- fault isolation, 323
- Favorites, directory name, 325
- ferror, C library, 24
- ffs.pdf, sample, 243
- ffs, sample, 243
- ffs_vnops.c, sample, 313
- fgets, C library, 99
- fgrep, program, 352
- field separator, 275
- field, class, *see* class, field
- field, table, 101
- FIFO, 77, 107
- FigEdgeModelElement.java, sample, 302
- file differences, 355
- file extension
 - .h, 225
 - .info, 265
 - .ini, 202
 - .man, 227
 - .texi, 265
 - see also* Table 7.2, 227
- file name
 - /dev/null, 350
 - /etc/inetd.conf, 325
 - ChangeLog, 226, 252
 - Changes, 226
 - config.cache, 199
 - config.h.in, 200
 - config.h, 199, 200, 226
 - config.log, 199
 - config.status, 199
 - config-h.SH, 226
 - configure, 199, 226
 - Copying, 226
 - INSTALL, 226
 - LICENSE, 226
 - Makefile.in, 200
 - Makefile.SH, 226
 - Makefile, 137, 200, 223, 226
 - MANIFEST, 226
 - NEWS, 226
 - NUL, 350
 - patchlevel.h, 226
 - README, 226
 - tags, 343
 - TODD, 226
 - version.h, 226
- file.h, sample, 79
- @file, Texinfo command, 263
- filename, 225
- filter, 161, 273, 323, 324
- final state, 291
- finalize, Java keyword, 302
- finally, Java keyword, 150, 152, 153
- find, 14, 353
- find.c, sample, 125
- First, Hungarian prefix, 236
- fix list, 252
- fixed-width, 275
- FIXME, 233
- FIXME, identifier name, 354
- .F1, troff command, 264
- floating-point numbers, 97
- floppy distribution, 4
- flow, 376
- fn, Hungarian prefix, 236
- folding, 345
- for, Java keyword, 38
- for, keyword, 34, 96, 118
- Fork.C, sample, 166
- fork, Unix-specific function, 160, 166, 281
- formal practices, 180
- formatting, 230
- Fortran, 16, 42
- fortunes2, sample, 457
- forward list traversal, 119

470 Index

- forward-list, editor command, 346
- Foundation Classes, *see* Microsoft Foundation Classes
- fpu_sqrt.c, sample, 341
- fractions, 309
- FrameMaker, 227, 260
- framework, 328, 329
- fread, C library, 98
- free memory, 87
- free, C library, 85, 89
- FreeBSD, 89
- FreeBSD documentation project, 261
- frexp.c, sample, 83
- friend, keyword, 305, 307
- .frm, file extension, 227
- frm, Hungarian prefix, 237
- FROM, Modula keyword, 299
- fsplit.c, sample, 34
- ftp, program, 7
- FTP, 269
- ftpd.c, sample, 69
- func.c, sample, 53, 296
- function, 25, 26
 - declaration, 25
 - pointer, 67
 - return values, 76
- function.c, sample, 213
- function.h, sample, 213
- functional description, 242
- functionality addition, 7
- Future_Set.h, sample, 305
- fwrite.c, sample, 280
- fwrite, C library, 98, 280
- fxp_intr, 282
- G**
- g substitute flag, 348
- g++, program, 323
- %G%, revision-id tag, 206
- garbage collector, 87, 88, 303
- gcc, program, 195, 372
 - a, 372
- GCManger.c, sample, 57
- gencode.h, sample, 132
- generalization relationship, 13, 277
- generic code, 313
- generic implementation, 313
- GENERIC, sample, 211
- get, in method name, 304
- get, Unix-specific function, 319
- GetCurrentThreadId, Win32 SDK, 163
- getenv, Unix-specific function, 201
- getopt, Unix-specific function, 22, 24, 28, 238, 264, 273
- getopt_long, Unix-specific function, 238
- getProperty, Java method, 201
- getpwent.c, sample, 72
- gets, C library, 98, 99
- getservent.c, sample, 44
- getTime, Java method, 387
- Glimpse, 354
- global variable, 25
- GNATS, 209
- GNU, xxv, 4, 8, 14, 22, 89, 225, 261
- GNU C compiler, 195, 364, *see also* gcc
- gnu.getopt, Java package, 22
- good, C++ library, 24
- goto, 43, 169
- goto, keyword, 43, 55, 159
- GoToMatchBraceExtend, editor command, 346
- GoToMatchBrace, editor command, 346
- gperf, program, 141
- gprof, program, 134, 372, 378
- gprof.c, sample, 69
- gprof.h, sample, 134
- gprof.pdf, sample, 246
- grammar, 129, 144, 147, 177, 191
- graph, 95, 131
- graphics algorithm, 105
- GraphViz, 12
- GregorianCalendar, Java class, 382, 386, 390
- grep, program, 14, 264, 344, 346, 364, 398
 - e, 354
 - i, 354
 - l, 348
 - n, 354
 - v, 351
- groff, program, 365

grok, 255
 gtkdiff, program, 357
 GUI, 236, 274, 285
 guidelines
 BSD, 50, 226
 coding, 225
 data interchange, 129
 development process, 239
 deviations from, 339
 formatting, 230
 GNU, 50
 indentation, 367
 identifier names, 234
 indentation, 228
 Java code, 226
 naming files, 225
 portability, 237
 programming practices, 237
 .gz, file extension, 227
 gzip, program, 162, 227

H

%H%, revision-id tag, 206
 .h, file extension, 225, 227
 h, Hungarian prefix, 236
 hack.objnam.c, sample, 40
 Half-Sync/Half-Async, design pattern, 333,
 337
 handler.c, sample, 286
 hardware interrupt, 286
 hash, 309
 hash function, 114
 hash table, 113
 hash.c, sample, 229
 Hashable, Java class, 392, 395
 Hashtable, Java class, 319
 head, 107, 117
 \$Header:\$, revision-id tag, 206
 header files, 20, 183, 226
 \$Header\$, revision-id tag, 206
 headers.c, sample, 246
 heap, 89
 help file, 190, 239
 hidden structures, 139
 hierarchical decomposition, 282

\$History:\$, revision-id tag, 206
 history.c, sample, 52
 homedir.c, sample, 86
 Host.java, sample, 298
 hostctlr.h, sample, 213
 hp71c2k.c, sample, 222
 .hpp, file extension, 227
 hSql.html, sample, 380
 hsqldb, program, 249
 hsqldb, sample, 400
 hSqlSyntax.html, sample, 397
 HTML, 28, 214, 249, 261, 265, 358, 359
 HTTP, 244, 269, 271
 http_core.c, sample, 271
 http_protocol.c, sample, 244, 270
 Hungarian naming notation, 225, 235
 hunt, 149
 hunt.c, sample, 147
 Hypersonic SQL database engine, 249

I

i82365.c, sample, 282
 %I%, revision-id tag, 206
 i, Hungarian prefix, 236
 .I, troff command, 262
 IBM, 227
 IBM 3270, 212
 IBM VM/CMS, 212
 .Ic, troff command, 262
 ICMP, 101
 ico.c, sample, 102, 157
 .ico, file extension, 227
 .icon, file extension, 227
 \$Id\$, revision-id tag, 206
 IDE, 198
 idealized presentation, 254
 ident, program, 207
 identd.c, sample, 66, 73
 identifier name
 \$, 194
 \$<, 194
 \$>, 194
 \$?, 194
 \$@, 194
 \$\$, 194

472 Index

- argc, 20
- argv, 20
- buf, 96
- CC, 193
- CFLAGS, 193
- CPP, 193
- DEBUG, 216, 222
- FIXME, 354
- IN, 64
- INCLUDES, 193
- INSTALL, 193
- left, 126
- LFLAGS, 193
- LIBS, 193
- NDEBUG, 220
- new, 63
- next, 118
- NULL, 20, 35, 42, 60, 118
- OBJS, 193
- OUT, 64
- prev, 121
- right, 126
- SHELL, 193
- SRCS, 193
- STREQ, 22
- usage, 26
- xmalloc, 85
- XXX, 233, 354
- identifiers, 246
- IDL, 261, 273
 - .idl, file extension, 227
- idutils, 344
- if_arp.c, sample, 234
- if_atm.c, sample, 64
- if, keyword, 23, 55, 360
- if_cs_isa.c, sample, 230
- if_ed.c, sample, 96
- if_fxp.c, sample, 282
- if_fxpreg.h, sample, 76, 77
- IIS, *see* Microsoft Internet Information Server
- imake, 190, 195, 212
- imake, sample, 212
- implements, Java keyword, 277, 301
- import, Java keyword, 299
- IMPORT, Modula keyword, 299
- IN, identifier name, 64
- in_proto.c, sample, 113
- inbound.c, sample, 213
- include files, *see* header files
- include/protocols, directory name, 269
- include, directory name, 183
- INCLUDES, identifier name, 193
- inclusive range, 100
- inconsistent, 231
- indent, program, 231, 367
- indentation, 228
- index.html, sample, 249, 379
- inetd, program, 327
- inetd.conf, sample, 327
- infblock.c, sample, 125
- .info, file extension, 227, 265
- information hiding, 296
- information-hiding, 304
- inheritance, 13, 180, 306
- inheritance hierarchy, 300
- .ini, file extension, 202
- init.c, sample, 36
- init, Java method, 20
- init_main.c, sample, 290
- initial state, 291
- initialization files, 202
- inline, keyword, 177
- inode, 114
- inspections, 9
- INSTALL, file name, 226
- INSTALL, identifier name, 193
- install, pseudo-target, 194
- installation instructions, 242
- instance, variable, *see* class, property
- integer expression, 51
- integer.h, sample, 309
- integrability, 269
- integrated development environment, *see* IDE
- Intel, 76, 98
- Interceptor, design pattern, 337
- interface, 13, 106, 108, 317
 - see* IDL, 273
- interface, Java keyword, 277
- INTERFACE, Modula keyword, 299
- interfaces, 249

- intermediate files, 324
 - internal representation, 82
 - International Conference on Pattern Languages of Programming, 338
 - Internet Information Server, *see* Microsoft Internet Information Server
 - Internet Worm, 141
 - interpreter state, 336
 - interrupt, 105, 155, 156, 159
 - INTR, 281
 - intro, sample, 245
 - introductory guide, 242
 - invariant, 56
 - IOCCC, 361
 - ioconf.c, 211
 - ioctl, Unix-specific function, 80
 - iostream, 401
 - IP, 269
 - .IP, troff command, 262
 - IPX, 78
 - .IR, troff command, 262
 - ISA, Perl keyword, 311
 - isapnpres.c, sample, 125
 - isLeapYear, Java method, 386
 - ISO, 186
 - isolation of dependencies, *see* dependency isolation
 - issue-tracking database, 259
 - isupper, C library, 42
 - isUpper, Java method, 42
 - .It, troff command, 262
 - @item, Texinfo command, 263
 - Iterator, design pattern, 337
- J**
- Jade, 265
 - jam, program, 196
 - jamfile, 196
 - .jar, file extension, 227
 - JasperLogger.java, sample, 162
 - Java, 42, 98, 276, 365
 - API, 214
 - SDK, 214
 - Java class
 - Calendar, 382, 390
 - Character, 42
 - Date, 387, 396
 - Error, 150, 151
 - EventObject, 289
 - Exception, 150
 - GregorianCalendar, 382, 386, 390
 - Hashable, 392, 395
 - Hashtable, 319
 - java.lang.Exception, 150
 - RuntimeException, 151
 - Stack, 319
 - String, 20
 - System, 201
 - TestCase, 220
 - Throwable, 150
 - Thread, 162, 163
 - Vector, 319
 - Java interface
 - Runnable, 162
 - Java keyword
 - abstract, 276, 306
 - break, 38, 39, 152
 - catch, 150, 151, 152
 - class, 300
 - continue, 38, 39, 152
 - finalize, 302
 - finally, 150, 152, 153
 - for, 38
 - implements, 277, 301
 - import, 299
 - interface, 277
 - package, 283, 298
 - private, 226, 276, 304
 - protected, 226, 276, 304
 - public, 226, 276, 304
 - return, 152
 - static, 276, 303, 332
 - synchronized, 163, 164, 165
 - this, 302, 309
 - throws, 151, 154
 - try, 150, 152, 153
 - see also* keyword
 - Java method
 - assert, 220
 - checkError, 24
 - currentThread, 163
 - equals, 23

474 Index

- getProperty, 201
 - getTime, 387
 - init, 20
 - isLeapYear, 386
 - isUpper, 42
 - length, 20
 - main, 220
 - notify, 163, 164
 - run, 162
 - setUp, 220
 - sleep, 163
 - start, 162
 - stop, 163
 - suite, 220
 - tearDown, 220
 - toLowerCase, 42
 - wait, 163, 164
 - yield, 163
 - Java operator
 - see also* operator
 - >>>, 53
 - Java package
 - gnu.getopt, 22
 - java.util, 80, 319
 - Math, 388
 - Java server page, 325
 - Java Virtual Machine, 279
 - java.util, Java package, 80, 319
 - .java, file extension, 227
 - JavaBeans, 325
 - Javac.java, sample, 30
 - javadoc, 214, 231, 261, 263, 265, 382
 - JCL, 227
 - .jcl, file extension, 227
 - jdbcConnection.java, sample, 304
 - jdbcDatabaseMetaData.java, sample, 305
 - jdbcPreparedStatement.java, sample, 214
 - JDBCStore.java, sample, 150
 - jobs, shell command, 146
 - jobs.c, sample, 120, 146, 147
 - join, 203
 - jot, program, 374
 - journal publications, 259
 - JSP, 325
 - .jsp, file extension, 227
 - JspReader.java, sample, 38, 153
 - jt4, sample, 401
 - JUnit, 220, 224
 - \$JustDate:\$, revision-id tag, 206
 - JVM, *see* Java Virtual Machine
- K**
- K&R C, 22
 - kbd.out, 213
 - kern_descrip.c, sample, 230
 - kern_1km.c, sample, 322
 - kern_synch.c, sample, 256
 - kernel modules, 322
 - key.c, sample, 112, 129
 - keyword
 - break, 32, 36, 37, 55, 96, 231
 - case, 32, 219, 231
 - const, 64, 360
 - continue, 37, 55, 96
 - default, 32
 - delete, 167, 168, 302, 303
 - do, 51, 174
 - enum, 234
 - extern, 363
 - for, 34, 96, 118
 - friend, 305, 307
 - goto, 43, 55, 159
 - if, 23, 55, 360
 - inline, 177
 - namespace, 283, 293, 297
 - new, 168, 302, 303
 - operator, 307
 - pragma, 360
 - private, 304
 - protected, 304
 - public, 304
 - return, 36, 159, 169
 - sig_atomic_t, 168
 - static, 26, 66, 294, 296, 303, 363
 - struct, 62, 75, 92, 101, 145
 - switch, 32, 212, 231, 360
 - template, 315
 - this, 302, 309
 - throw, 154

- typedef, 91, 92, 296
 - union, 80, 145
 - using, 298
 - virtual, 306
 - void, 317
 - volatile, 77, 168
 - while, 30, 174, 360
 - keywords, 205
- L**
- %L%, revision-id tag, 206
 - .l, file extension, 227
 - l, Hungarian prefix, 236
 - label, 43
 - language, 15, 129
 - block-structured, 105
 - markup, 105
 - .language-code, 227
 - large integers, 309
 - large projects, 179
 - laser printer, 264, 375
 - last, program, 255
 - Last.1, sample, 255
 - Last.pdf, sample, 255
 - Last, Hungarian prefix, 236
 - Last, Perl keyword, 37
 - LaTeX, 228, 261, 265, 266, 359
 - Law of Demeter, 338
 - layered architecture, 279
 - lb1, Hungarian prefix, 237
 - ld, program, 323
 - LDAPTransformer.java, sample, 345
 - Leader/Followers, design pattern, 337
 - left, identifier name, 126
 - length, Java method, 20
 - LevelDown, editor command, 346
 - LevelUp, editor command, 346
 - lex, program, 194, 227
 - lex.c, sample, 119, 122, 291
 - lexical analysis, 333
 - LFLAGS, identifier name, 193
 - lib, directory name, 183
 - .lib, file extension, 227
 - lib, sample, 320
 - libcrypt, sample, 320
 - libcurses, sample, 320
 - libedit, sample, 320
 - libkvm, sample, 320
 - libpcap, 132
 - libpcap, sample, 320
 - library, 180, 227, 319
 - Library.html, sample, 397
 - Library.java, sample, 381, 382, 392, 393, 395
 - LIBS, identifier name, 193
 - LICENSE, file name, 226
 - license, 20, 413
 - LifecycleException.java, sample, 151
 - LIFO, 105
 - Like.java, sample, 317
 - Lim, Hungarian prefix, 236
 - line counting, 372
 - {@link}, javadoc tag, 263
 - linked data structure, 62
 - linked list, 95, 117, 167, 335
 - lint, 33, 129, 231, 361, 377
 - Lint1.h, sample, 129
 - Linux, xxv, 4, 8, 14, 183, 225
 - Linux documentation project, 266
 - Lisp, 227
 - List.c, sample, 107
 - listing, 360, 361
 - literate programming, 17, 266
 - localtime.c, sample, 111, 112
 - locate, program, 186
 - lock, 203
 - \$Locker\$, revision-id tag, 206
 - \$Log\$, revision-id tag, 206
 - log4j, 216
 - \$Log\$, revision-id tag, 206
 - \$LogFile\$: \$, revision-id tag, 206
 - logging output, 216
 - logical AND, 41
 - logical OR, 41
 - longjmp, C library, 168, 169
 - lookup table, 111, 212
 - loop, 28, 34, 37, 51, 54
 - loop invariant, 56, 98
 - lorder.sh, sample, 259
 - lower bound, 100

476 Index

- lpr, sample, 268
- lpr, program, 160
- ls.c, sample, 32, 90
- ls.h, sample, 90
- lsearch.c, sample, 317
- lst, Hungarian prefix, 237
- LXR, 366
- M**
- M
 - gcc option, 195
- M-, editor command, 343
- M-x outline-mode, editor command, 345
- m4, program, 227, 256
- .m4, file extension, 227
- %M%, revision-id tag, 206
- Mac, Hungarian prefix, 236
- machdep.c, sample, 23, 74
- Macintosh, 98
- macro, 104, 172
- macro.c, ex, 246
- main program and subroutine, 268
- main.c, sample, 42, 170, 286
- Main.java, sample, 55
- main, C library, 20, 219
- main, directory name, 183
- main, Java method, 220
- maintenance
 - branch, 203
 - code beautifier, 367
 - cost, 17
 - documentation, 252
 - formatting changes, 50, 367
 - management, 17
 - organization, 183
 - reason for reading code, 6
- .mak, file extension, 227
- make, program, 137, 139, 186, 192, 224
 - n, 196
- make.h, sample, 137, 139
- makedepend, program, 212
- makedepend, sample, 212
- makefile, 192
- Makefile.in, file name, 200
- Makefile.nt, sample, 137, 192
- Makefile.SH, file name, 226
- Makefile.tmpl, sample, 195, 240
- makefile.win, sample, 196
- Makefile, file name, 137, 200, 223, 226
- Makefile, sample, 198, 223, 240
- makewhatis, program, 274
- makewhatis.sh, sample, 161, 274
- malloc.c, sample, 80, 81, 173
- malloc, C library, 80, 84, 85, 88, 101
- man, program, 28, 260, 265
 - t, 265
- man, directory name, 183
- .man, file extension, 227
- MANIFEST, file name, 226
- mantissa, 83
- manual page, 183, 190
- map, 95, 111, 113
- MapStackResolver.java, sample, 39
- marketing material, 260
- markup language, 260
- marshalling, 273
- Martian, 256
- master/slave, 157
- math.c, sample, 106
- Math.PI, Java method, 388
- Math, Java package, 388
- mathematical theorems, 3, 17
- matrix, 95, 101, 309
- mbuf.9, sample, 249
- mbuf.pdf, sample, 249
- md2.h, sample, 306
- mdef.h, sample, 256
- mdoc, macro package, 260
- me, macro package, 227
- .me, file extension, 227
- member function, *see* class, method
- member variable, *see* class, property
- memcpy, C library, 97, 98
- memmove, C library, 97
- memory access, 74
- memory leak, 85, 87, 303
- memory management, 155
- memset, C library, 97
- Menu.cc, sample, 364
- message, 300

- meta-characters, 340
- method, *see* class, method
- MFC, *see* Microsoft Foundation Classes
- Microsoft
 - Access, 357
 - C/C++ compiler, 364, *see also* cl, program
 - C#, *see* C#
 - Developer Studio, 227
 - DOS, *see* MS-DOS
 - Foundation Classes, 286, 329
 - Internet Information Server, 327
 - Macro Assembler, 361
 - MSDN, 28, 327
 - .NET platform, 15, 271
 - OLE automation, 359
 - SDK element, *see* Win32 SDK
 - Visual Basic, 227, 235, 277, 300, 304, 325, 344, 357
 - Visual Basic for Applications, 235
 - Visual Source Safe, 203
 - Visual Studio, 346, 356, 372
 - Windows, 8, 20, 160, 189, 190, 202, 216, 323, 370, 376
 - Windows Explorer, 186
 - Windows Installer, 190, 240
 - Windows NT, 137, 227
 - Windows SDK, *see* Win32 SDK
 - Windows SDK source, 235
 - Windows Services for Unix, 377
 - Windows, resource files, 183
 - Word, 260, 345, 359
- middleware, 271
- midnight commander, program, 186
- MIF, 265
 - .mif, file extension, 227
- Min_Max.h, sample, 315
- miNCurve.c, sample, 103
- minurbs.c, sample, 103
- misc.c, sample, 85, 166
- mivaltree.c, sample, 125
 - .mk, file extension, 227
- mkastods.c, sample, 212
- mkastosc.c, sample, 213
- mkdep, program, 195
- mkdstoas.c, sample, 212
- mkhits.c, sample, 213
- MKS Toolkit, 377
- mktables.PL, sample, 37
- mm, macro package, 227
 - .mm, file extension, 227
- MMDF, 160
- mnu, Hungarian prefix, 237
- mod_so.c, sample, 323
- Model-View-Controller, 329
- modifications, 7
- \$ModTime: \$, revision-id tag, 206
- Modula, 293
- Modula keyword
 - AS, 299
 - FROM, 299
 - IMPORT, 299
 - INTERFACE, 299
 - MODULE, 299
- Modula-3, 299
- module, 293, 297
- MODULE, Modula keyword, 299
- modulo division, 53
- Monitor Object, design pattern, 337
- more, sample, 11, 168
- Motif, 286, 329
- mount_nfs.c, sample, 336
- move.c, sample, 216
- MP3, 259
- mp, Hungarian prefix, 236
- MS-DOS, 77, 227, 370
- MSDN, *see* Microsoft MSDN
- msdosfs_write, 281
- msdosfs_vnops.c, sample, 281
- muldi3.c, sample, 245
- multiplayer games, 268
- multiple inheritance, 277
- multiple precision floating-point numbers, 309
- multithread.c, sample, 162
- multithread.h, sample, 162
- multithreaded, 168
- mutex, 159
- mutex_clear, Unix-specific function, 162
- mutual exclusion, 159
- mutual recursion, 147

478 Index

mv.c, sample, 87
 MVC, 329
 My Documents, directory name, 325

N

n, Hungarian prefix, 236
 name mangling, 364
 \$Name\$, revision-id tag, 206
 named, program, 126
 namespace, 296
 namespace pollution, 296
 namespace, keyword, 283, 293, 297
 ncr_intr, 282
 ncr.c, sample, 282
 ncr5380sbc.c, sample, 44
 NDEBUG, identifier name, 220
 ne2100.c, sample, 218
 .NET, *see* Microsoft .NET
 net, directory name, 186
 net, sample, 337
 netatalk, sample, 186
 NETBIOS, 279
 NetBSD, xxvi, 183
 netbsdsrc, sample, 400
 netinet, sample, 186, 337
 netiso, sample, 186, 337
 netnatm, sample, 186, 337
 netpbm, package, 275
 network, 336
 Network File System, 272
 Network Information Center, 269
 Network Information System, 272
 network interface, 76
 network time protocol, 240
 new, identifier name, 63
 new, keyword, 168, 302, 303
 new, Perl identifier, 309
 NEWS, file name, 226
 Next, Hungarian prefix, 236
 next, identifier name, 118
 next, Perl keyword, 37
 NFS, 272
 nfs_vnops.c, sample, 281
 nfsd, sample, 268
 nfsspec_write, 281

Nil, Hungarian prefix, 236
 NIS, 272
 nm, program, 363
 .Nm, troff command, 262
 nmake, program, 192
 node, 62, 125, 131
 @node, Texinfo command, 263
 nodetypes, sample, 145
 noise, 350
 \$NoKeywords:\$, revision-id tag, 206
 non-function requirements, 247
 non-software tools, 375
 nonexistentshell, sample, 223
 notify, blackboard operation, 270
 notify, Java method, 163, 164
 NOTREACHED, 232, 291
 .nr, file extension, 227
 ns_validate.c, sample, 84
 NTP, 240
 ntp_io.c, sample, 201
 NUL, file name, 350
 NULL, C library, 52, 236
 NULL, identifier name, 20, 35, 42, 60, 118
 nullfs, sample, 330
 NumberGuessBean.java, sample, 325
 numguess.jsp, sample, 325
 nvi, program, 294, 365

O

.o, file extension, 227
 obj, directory name, 183
 .obj, file extension, 227
 object, 78, 300
 browser, 300
 code, 319, 360, 362
 diagram, 276
 request broker, 271
 see also class
 Object Lifetime Manager, design pattern, 337
 Object Management Group, 271
 object-oriented, 78, 180
 object-oriented architecture, 275
 OBJS, identifier name, 193

- Observer, design pattern, 337
 - off-by-one errors, 100, 141
 - ofisa.c, sample, 89
 - ofw.c, sample, 159
 - .ok, file extension, 227
 - OLE automation, *see* Microsoft OLE automation
 - OMG, 271
 - on-line messaging, 268
 - .Op, troff command, 262, 264
 - open range, 100
 - open-source software, xxv, 3, 16, 20
 - as scientific communication vehicle, 3
 - contributing, 5, 260
 - languages used, 15
 - reorganising code, 46
 - searching, 260
 - source browsers, 365
 - see also individual project names*
 - open, Unix-specific function, 281
 - openc1.h, sample, 306
 - OpenCL, sample, 401
 - opendir, Unix-specific function, 35, 319
 - OpenJade, 265
 - OpenNt, 376
 - operating system, 155, 338
 - specific code, 183
 - operation, *see* class, method
 - operator
 - ||, 41
 - ,, 35
 - >, 102
 - /**/, 176
 - <<, 53, 308
 - ==, 52
 - =, 30, 52
 - >>, 53, 58, 308
 - ?:, 46, 174
 - ##, 176
 - &&, 22, 41
 - &, 53, 64
 - sizeof, 73, 85, 97
 - operator overloading, 180, 305, 307
 - operator, keyword, 307
 - opt, Hungarian prefix, 237
 - optimize.c, sample, 133
 - options.c, sample, 201, 312
 - OR, logical, 41
 - ORB, 271
 - org, directory name, 183
 - OS.cpp, sample, 315
 - OS/2, 193, 227
 - OS/32, 377
 - os2thread.h, sample, 162
 - os, directory name, 183
 - .Os, troff command, 262
 - OSI, 336
 - OUT, identifier name, 64
 - outline mode, 345
 - output.c, sample, 70
 - outwit, package, 377
 - overview, 243
- P**
- %P%, revision-id tag, 206
 - p, Hungarian prefix, 236
 - .Pa, troff command, 262
 - package, 300
 - package, Ada keyword, 299
 - package, Java keyword, 283, 298
 - package, Perl keyword, 299, 309
 - packaging abstraction, 292
 - abstract data type, 318
 - component, 325
 - data repository, 325
 - filter, 323
 - generic implementation, 313
 - library, 319
 - module, 293
 - namespace, 296
 - object, 300
 - process, 323
 - see also the individual terms*
 - page.h, sample, 256
 - pair programming, 10
 - parallelism, 154
 - @param, javadoc tag, 263
 - parse tree, 129, 334
 - parse.c, sample, 122, 124, 216

480 Index

- parseaddr.c, ex, 246
- parser generator, 130, 228
- Parser.java, sample, 334
- parsing, 129, 147, 333
- Pascal, 42, 293
- patch, program, 137
- patchlevel.h, file name, 226
- pattern, *see* design pattern
- pax.c, sample, 43
- pax.h, sample, 312
- pb, Hungarian prefix, 237
- pcic_intr, 282
- Pc1Text.c, sample, 104
- PDF, 261
- perfect hash function, 141
- Perkin-Elmer, 377
- Perl, 42, 98, 201, 214, 227, 276, 300, 309, 330, 348, 349, 377
- perl
 - e, 349
 - i, 349
 - p, 349
 - inheritance, 311
- Perl classes, 309
- Perl identifier
 - new, 309
 - self, 309
- Perl keyword
 - bless, 300, 309
 - DESTROY, 310
 - ISA, 311
 - last, 37
 - next, 37
 - package, 299, 309
 - use, 299
 - see also* keyword
- Perl module
 - Exporter, 299
- Perl operator, *see* operator
- perl, sample, 401
- perlbug.PL, sample, 224
- perlguts.pdf, sample, 249
- perlguts.pod, sample, 249
- pgp_s2k.cpp, sample, 306
- pgp_s2k.h, sample, 306
- physical, 336
- physical boundary, 293
- pi.c, sample, 38
- pic, program, 227
 - .pic, file extension, 227
- pic, Hungarian prefix, 237
- pickmove.c, sample, 97, 125
- ping.c, sample, 64
- pipeline, 157, 161, 274, 324
- pipes-and-filters architecture, 273
- pippen.pl, sample, 309
- pk_subr.c, sample, 256
 - .pl, file extension, 227
 - .pm, file extension, 227
- pmap.c, sample, 218
- PMC_Ruser.cpp, sample, 368
 - .png, file extension, 227
- pod, documentation format, 214
 - .pod, file extension, 227
- pod, sample, 214
- pointer, 61, 62, 84, 102
 - aliasing, 70
 - and strings, 72
 - to function, 67
- poll, 156, 286
- poll, Unix-specific function, 80
- polymorphic functions, 316
- polymorphism, 79
- pom.c, sample, 383, 384, 386, 387, 389
- pop, 105
- POP-3, 269
- portability, 97, 98, 237, 360
 - Makefile, 196
- POSIX, 15, 201, 280, 319
- postcondition, 218
- postincrement operator, 315
- PostInputStream.java, sample, 300
- postp.me, sample, 246
- Postscript, 228, 261, 265, 359
- Power PC, 98
- pr.c, sample, 102
- practices, 237
 - formal, 180
- pragma, keyword, 360
- precondition, 218

- preen.c, sample, 62
 - prep, program, 372
 - preprocessor, 172, 181, 296, 315, 350, 360, 361, *see also* header files
 - presentation, 336
 - pretty-printer, 359, 368
 - Prev, Hungarian prefix, 236
 - prev, identifier name, 121
 - print-icmp.c, sample, 101
 - print.c, sample, 64
 - printf.c, sample, 364, 374
 - printf, C library, 23, 73
 - private, 304
 - private, Java keyword, 226, 276, 304
 - Proactor, design pattern, 337
 - process, 155, 323
 - in UML diagrams, 13
 - process standards, 239
 - process.c, sample, 335
 - processor architecture, 183
 - program listing, 360, 361
 - program slice, 283
 - program state, 336
 - programming practices, 237
 - project organization, 181
 - ProjectBrowser.java, sample, 286
 - protected, 304
 - protected, Java keyword, 226, 276, 304
 - ps, program, 87, 323
 - .ps, file extension, 228
 - pseudo-target, 194, 195
 - .psp, file extension, 227
 - pthread_cond_signal, Unix-specific function, 163, 164
 - pthread_cond_wait, Unix-specific function, 163, 164
 - pthread_cond_destroy, Unix-specific function, 163
 - pthread_cond_init, Unix-specific function, 163
 - pthread_create, Unix-specific function, 162, 163
 - pthread_exit, Unix-specific function, 163
 - pthread_mutex_destroy, Unix-specific function, 162, 163
 - pthread_mutex_init, Unix-specific function, 163
 - pthread_mutex_lock, Unix-specific function, 163
 - pthread_mutex_unlock, Unix-specific function, 163
 - pthread_self, Unix-specific function, 163
 - pthread_yield, Unix-specific function, 163
 - pty.c, sample, 73
 - public, 304
 - public, Java keyword, 226, 276, 304
 - publications, 259
 - PulseEvent, Win32 SDK, 163
 - purenum, sample, 401
 - push, 105
 - put, Unix-specific function, 319
 - px_intr, 282
 - px.c, sample, 282
 - @pxref, Texinfo command, 263
 - .py, file extension, 228
 - Python, 228, 276, 357, 377
- Q**
- qry, Hungarian prefix, 237
 - qsort.c, sample, 374
 - qsort, C library, 69, 98
 - qtchat, sample, 401
 - qualifier, 77, 235
 - quarks.c, sample, 158
 - queue, 95, 107
 - queue.c, sample, 246
 - queue.h, sample, 319
 - Queue.java, sample, 164
 - queue, Unix-specific function, 319
 - quicksort, 143
 - quot.c, sample, 101
- R**
- %R%, revision-id tag, 206
 - race condition, 166
 - radix.c, sample, 126

482 Index

- radixsort.c, sample, 60
- random.c, sample, 71
- range, 100
- Rational Rose, 279
- rayshade, package, 320
 - .rb, file extension, 228
 - .RB, troff command, 262
- rc, directory name, 183
 - .rc, file extension, 228
- rcp.c, sample, 161, 175
- RCS, 50, 203, 208, 224, 268, 327, 349, 355
- RCS, directory name, 183
- \$RCSfile\$, revision-id tag, 206
- rdisc.c, sample, 67, 99
- reactive systems, 274
- Reactor, design pattern, 337
- read, blackboard operation, 270
- read-only access, 305
- read, Unix-specific function, 80, 281
- readcf.c, sample, 246
- readdir, Unix-specific function, 35, 319
- README, file name, 226
- README, sample, 346
- realization relationship, 13, 277
- realloc, C library, 86
- reap, 166
- record, 75, 101
- record.h, sample, 89
- recursion, 105, 143
 - tail, 147
- recursive descent parser, 130, 147
- Red Hat Linux, 190
- reentrancy, 66, 166
- refactoring, 8, 17, 45, 46
- reference architectures, 336
- reference count, 88
- reference manual, 242
- reflection, 325
- RegCloseKey, Win32 SDK, 201
- RegOpenKey, Win32 SDK, 201
- RegQueryValueEx, Win32 SDK, 201
- regcomp.c, sample, 174, 175
- regedit, program, 328
- regex, sample, 322
- regexp.c, sample, 233
- regression testing, 203, 222
- regular expression, 13, 291, 322, 340, 377
 - [^], 341
 - [], 341
 - and editors, 340
 - and grep, 346
 - building blocks, 340
 - character classes, 342
 - eliminating noise, 350
 - listing matching files, 348
 - locating definitions, 341
 - metacharacters, 342
 - Perl syntax, 344, 352
 - replacements, 348
 - starting with dash, 354
- relational database, 101, 269, 327, 377, *see also* SQL
- release, 203
- Release, directory name, 183
- ReleaseMutex, Win32 SDK, 163
- Remote Method Invocation, 271, 337
- Remote Procedure Call, 82, 271, 337
- RemoteAddrValve.java, sample, 277
- remove, blackboard operation, 270
- ReportEvent, Win32 SDK, 216
- repository, 203
- RequestFilterValve.java, sample, 276
- requirements, 247
- requirements specification, 4, 241, 242
- res, directory name, 183
 - .res, file extension, 228
- resource files, 183
- resource script, 228
- return, Java keyword, 152
- @return, javadoc tag, 263
- return, keyword, 36, 159, 169
- reuse
 - and architecture, 180
 - and code reading, 1, 9, 10
 - and design patterns, 331
 - and libraries, 319
 - bibliographic references, 17
 - example, 382
 - exercise, 357

- file differences, 355
 - of architecture, 328
 - of data transformations, 273
 - of generic implementations, 318
 - of leaky code, 87
 - of search results, 348
 - through processes, 159
 - reverse engineering
 - modeling tools, 275, 276, 278
 - references, 338
 - slicing, 283
 - `$Revision:$`, revision-id tag, 206
 - revision control, 202
 - revision control system, 183, 203, 252, 254, 259, 263, 268, 327
 - `$Revision$`, revision-id tag, 206
 - rexx, 227
 - RFC, 269
 - `rfc2068.txt`, sample, 244
 - `rfc793.txt`, sample, 247
 - rg, Hungarian prefix, 236
 - right, identifier name, 126
 - ring buffer, 108
 - `rmdir.c`, sample, 368
 - RMI, 271, 337
 - `rnd.c`, sample, 109
 - `rnd.h`, sample, 297
 - `.roff`, file extension, 227
 - `room.c`, sample, 70
 - round-robin, 289
 - round-trip engineering modeling, 279
 - `round.c`, sample, 219
 - route, program, 336
 - `route.c`, sample, 336
 - route, sample, 336
 - routed, program, 269, 336
 - `routed.h`, sample, 269
 - routed, sample, 336
 - RPC, 82, 271, 337
 - `rpc_msg.h`, sample, 82
 - RPM, 190, 240
 - RTF, 261, 265, 359
 - Ruby, 228, 276
 - run-time configuration, 200
 - run-time tool, 370
 - run, Java method, 162
 - `Runnable`, Java interface, 162
 - `RuntimeException`, Java class, 151
 - `rup.c`, sample, 86, 118
 - `rusers_proc.c`, sample, 91
 - `rwhod`, program, 269
 - `rwhod.h`, sample, 269
- ## S
- `s` Perl/sed command, 348
 - S/Key, 87
 - `%S%`, revision-id tag, 206
 - `.s`, file extension, 227
 - `@samp`, Texinfo command, 263
 - `save.c`, sample, 98
 - `sbdsp.c`, sample, 282
 - `sbdsp_intr`, 282
 - `scanf`, C library, 99
 - SCCS, 23, 50, 203, 207, 224
 - SCCS, directory name, 183
 - schema, 327
 - Scoped Locking, design pattern, 337
 - SCSI, 281
 - `scsapi_done`, 281
 - `scsapi_base.c`, sample, 281
 - `sd.c`, sample, 281
 - `sdbm`, sample, 322
 - `sdstrategy`, 281
 - `@section`, Texinfo command, 263
 - sed, program, 162, 205, 228, 335, 348, 357, 377
 - `.sed`, file extension, 228
 - sed, sample, 343
 - `@see`, javadoc tag, 263
 - `seekdir`, Unix-specific function, 319
 - selection, 23, 32, 47
 - `Selection.c`, sample, 88
 - selective display, 345
 - `self`, Perl identifier, 309
 - semantic analysis, 334
 - semaphore, 163
 - sendmail, xxv, 160, 245
 - `sendmail.pdf`, sample, 245
 - `seq`, Unix-specific function, 319
 - `Sequence.T.cpp`, sample, 252

484 Index

- ser.c, sample, 52
- @serial, javadoc tag, 263
- @serialData, javadoc tag, 263
- @serialField, javadoc tag, 263
- server.cpp, sample, 330
- ServerConnection.java, sample, 164
- Service Configurator, design pattern, 337
- services, 216
- servlet, 20
- session, 336
- set, 95, 116
- set foldenable, editor command, 345
- set, in method name, 304
- set-selective-display, editor command, 345
- set.c, sample, 46, 116
- setjmp, C library, 169
- setUp, Java method, 220
- SGML, 261
- sh, program, 227
 - c, 161
 - .sh, file extension, 227
 - .Sh, troff command, 262
 - .SH, troff command, 262
- shallow copy, 303
- .shar, file extension, 227
- shared library, 202, 227, 322, *see also* DLL
- sharing, 88
- shell, 146
- SHELL, identifier name, 193
- shift, 53, 117
- short-circuit evaluation, 41, 174
- shutdown, 160
- sig_atomic_t, keyword, 168
- sigaction, Unix-specific function, 167
- SIGCHLD, 166
- SIGCONT, 165
- SIGFPE, 165
- SIGILL, 165
- SIGINT, 165, 168
- signal, 150, 165
- signal handler, 165
- signal, C library, 168
- signal, Unix-specific function, 167
- signature, 358
- SIGSEGV, 165
- SIGWINCH, 168
- silence, 350
- sin, C library, 388
- @since, javadoc tag, 263
- Singleton, design pattern, 332, 337
- sizeof, operator, 73, 85, 97
- skeyinit, 87
- skeyinit.c, sample, 87
- skipjack.h, sample, 297
- Sleep(0), Win32 SDK, 163
- sleep, 281
- sleep, Java method, 163
- sleep, Unix-specific function, 163
- Sleep, Win32 SDK, 163
- slicing, 6, 283
- slicing criterion, 283
- smail, package, 160
- Smalltalk, 276, 300, 365
- smart pointers, 308
- smbfs, 252
- SMTP, 269
- smtp.C, sample, 308
- SNA, 78
- snake.c, sample, 75
- snprintf, C library, 99
- .so, file extension, 227
- social processes, 3, 17
- Socket.pm, sample, 312
- socket, sample, 401
- sockunix.C, sample, 303
- software archeology, 17
- software maintenance, *see* maintenance
- software process, 179
- software requirements specification, *see* requirements specification
- Solaris, 8
- SONET, 279
- sort, program, 275, 352, 357, 374
- source code control system, *see* revision control system
- source code tree, 181
- source examples, *see* example source
- Source-Navigator, 366
- \$Source\$, revision-id tag, 206

- SourceForge Bug Tracker, 209
- SourceForge.net, 16
- sox, package, 275
- spec_strategy, 281
- spec_vnops.c, sample, 281
- specifications, 244
- spglyph.c, sample, 219
- split, 203
- sprintf, C library, 98, 99
- Spy++, 372
- SQL, 6, 269, 327
- SQLTransformer.java, sample, 153
- src, directory name, 181, 183
- src, sample, 245, 275, 329
- SRCS, identifier name, 193
- stack, 89, 95, 99, 105
- stack pointer, 106
- Stack, Java class, 319
- standard document, 259
- standard template library, *see* STL
- StandardContext.java, sample, 201
- StandardLoader.java, sample, 54, 151
- standards, *see* guidelines
- StandardWrapperValve.java, sample, 217
- Start Menu, directory name, 325
- start, Java method, 162
- state machine, 291
- state transition, 291
- state transition diagram, 291
- \$State\$, revision-id tag, 206
- static, Java keyword, 276, 303, 332
- static, keyword, 26, 66, 294, 296, 363
- stdin, C library, 51
- stdio.h, sample, 297
- stdio, C library, 166, 280
- StdString.h, sample, 309
- STL, 80, 100, 318
- stop, Java method, 163
- storage efficiency, 80, 322
- str.c, sample, 53
- strace, program, 370
- Strategized Locking, design pattern, 337
- Strategy Bridge, design pattern, 337
- strcat, C library, 99
- strcmp, C library, 22, 234
- strcpy, C library, 99
- strcspn.c, sample, 232
- strdup, C library, 66
- stream editor, 228, 348, *see also* sed,
 - program
- STREQ, identifier name, 22
- strftime.3, sample, 251
- strftime.pdf, sample, 251
- string, 72
- String, Java class, 20
- StringUtils.java, sample, 34
- strlen.c, sample, 72
- strlen, C library, 72
- strncat, C library, 99
- strncpy, C library, 99
- @strong, Texinfo command, 263
- struct, keyword, 62, 75, 92, 101, 145
- structured programming, 54
- stub, 272
- stubs.c, sample, 121, 122, 125
- style guide, *see* guidelines
- style, sample, 50
- suffix, 225
- .SUFFIX, makefile command, 194
- suite, Java method, 220
- Sun, 8
- supplementary material, 14
- Swing, 286, 329
- switch, keyword, 32, 212, 231, 360
- symbol table, 124
- symbolic code, 227, 360, 362
- symbolic name, 203
- synchronization, 162
- synchronized, Java keyword, 163, 164,
 - 165
- sys_write, 280
- sys, sample, 165, 295, 346, 353, 368
- sys_generic.c, sample, 280
- syscalls.master, sample, 280, 355
- syslog, Unix-specific function, 216
- system manager, 289
- system specification, *see* requirements
 - specification
- system structure, 245, 268
- System V, 162

486 Index

System, Java class, 201
 systime.c, sample, 217
 sz, Hungarian prefix, 236

T

%T%, revision-id tag, 206
 \t, 25
 .t, file extension, 228
 T, Hungarian prefix, 236
 tab, 25, 228
 table, 95, 101
 tables.c, sample, 114
 tag, 203, 235, 354
 tags, file name, 343
 tail, 107
 tail recursion, 147
 talk, program, 268
 talkd.h, sample, 268
 TAO_Singleton.h, sample, 332
 tape.c, sample, 67, 154
 tar, program, 82
 tar.h, sample, 82
 .tar, file extension, 227
 task manager, 87, 323
 tbl, program, 227
 .tbl, file extension, 227
 tbl, Hungarian prefix, 237
 Tcl/Tk, 98, 201, 228, 330
 .tcl, file extension, 228
 TCP, 77, 269
 tcp.h, sample, 77
 TCP/IP, 186, 247, 279
 tcp_fsm.h, sample, 246
 tcpdump, program, 132, 249, 371
 tcpdump.8, sample, 249
 tcpdump.pdf, sample, 249
 tearDown, Java method, 220
 tee, program, 275
 telldir, Unix-specific function, 319
 template, keyword, 315
 temporary files, 274
 term.c, sample, 42
 Test, 228
 test case, 28, 220, 249, 259
 test harness, 220, 374
 Test scripts, 183
 test specification, 242
 test suite, 220
 test, directory name, 183
 .test, file extension, 228
 test, pseudo-target, 194
 TEST, sample, 214, 215
 TestCase, Java class, 220
 testing, 214, 215
 TestRunner, 220
 TeX, 227, 228, 260, 263, 265, 266
 .tex, file extension, 228
 .texi, file extension, 228, 265
 Texinfo, 227, 228, 239, 260
 .TH, troff command, 262
 THE, 337
 this, 302, 309
 this, Java keyword, 302
 this, keyword, 309
 thread, 66, 155, 162, 216
 Thread Pool, design pattern, 337
 Thread-per Request, design pattern, 337
 Thread-per Session, design pattern, 337
 Thread-Safe Interface, design pattern, 337
 thread.h, sample, 162
 Thread, Java class, 162, 163
 three-tier, 269
 throw, keyword, 154
 Throwable, Java class, 150
 throws, Java keyword, 151, 154
 @throws, javadoc tag, 263
 tiered architectures, 269
 time, Hungarian prefix, 237
 timed, program, 269
 timed.c, sample, 31
 timed.h, sample, 269
 TLD, 183
 tm_year, C library, 390
 TMPfunc.out, 213
 tmr, Hungarian prefix, 237
 tn3270, 212
 TODO, 233
 TODO, file name, 226
 Together ControlCenter, 249, 279
 token, 129, 333

- Tokenizer.java, sample, 391, 392
 - tolower, C library, 42
 - toLowerCase, Java method, 42
 - Tomcat, 277, 278
 - tool, 183
 - compiler, 360
 - non-software, 375
 - roll your own, 357
 - run-time, 370
 - tools, 14, 210, 275, 339
 - tools, directory name, 183
 - top, program, 87
 - topological sort, 131, 192
 - trace, 203, 370
 - trace.c, sample, 67
 - Trace.java, sample, 394
 - tracing statement, 216
 - transaction monitor, 269
 - transport, 336
 - traversal, 128, 139
 - traverse
 - circular list, 122
 - singly linked list, 117
 - tree, 128
 - tree, 95, 125
 - AVL, 130
 - binary, 126
 - parse, 129
 - tree.c, sample, 127, 128
 - tree.h, sample, 126
 - troff, program, 227, 260, 263, 274, 359
 - try, Java keyword, 150, 152, 153
 - tsleep, 165
 - tsort, program, 131, 376
 - tsort.c, sample, 131, 139
 - tsort, sample, 376
 - tty noise, 385
 - tty.c, sample, 70
 - tv_sec, C library, 76
 - tv_usec, C library, 76
 - two-tier, 269
 - txt, Hungarian prefix, 237
 - type field, 82
 - typedef, keyword, 91, 92, 296
 - types.h, sample, 92
 - typographical conventions, 10
 - tzfile.h, sample, 386
- ## U
- %U%, revision-id tag, 206
 - UDP/IP, 279
 - ufs_strategy, 281
 - ufs_vnops.c, sample, 281
 - ufsspec_write, 281
 - UML, 203, 249, 275, 291, 332, 378, *see also* diagram
 - undo, 105
 - undocumented features, 254
 - Unicode, 97, 248
 - Unified Modeling Language, *see* UML
 - uninitialized variables, 23
 - union_write, 281
 - union, keyword, 80, 145
 - union_vnops.c, sample, 281
 - uniq, program, 352, 357
 - Unix, 160, 371
 - Unix-specific function
 - alloca, 88
 - close, 80, 281
 - closedir, 319
 - DB, 319
 - dbopen, 319
 - del, 319
 - exec, 281
 - execve, 222, 223
 - fork, 160, 166, 281
 - get, 319
 - getenv, 201
 - getopt, 22, 24, 28, 238, 264, 273
 - getopt_long, 238
 - ioctl, 80
 - mutex_clear, 162
 - open, 281
 - opendir, 35, 319
 - poll, 80
 - pthread_cond_signal, 163, 164
 - pthread_cond_wait, 163, 164
 - pthread_cond_destroy, 163
 - pthread_cond_init, 163
 - pthread_create, 162, 163

488 Index

- pthread_exit, 163
 - pthread_mutex_destroy, 162, 163
 - pthread_mutex_init, 163
 - pthread_mutex_lock, 163
 - pthread_mutex_unlock, 163
 - pthread_self, 163
 - pthread_yield, 163
 - put, 319
 - queue, 319
 - read, 80, 281
 - readdir, 35, 319
 - seekdir, 319
 - seq, 319
 - sigaction, 167
 - signal, 167
 - sleep, 163
 - syslog, 216
 - telldir, 319
 - wait, 166
 - write, 80, 166, 280, 281
 - unix.kbd, sample, 213
 - upgrade.sh, sample, 20
 - upper bound, 100
 - usage, identifier name, 26
 - use, Ada keyword, 299
 - use, Perl keyword, 299
 - user documentation, 242
 - user reference manual, 242
 - using, keyword, 298
 - util.c, sample, 7, 161
 - util_win32.c, sample, 234
 - utils.h, sample, 296
 - UWIN, 376
- V**
- v_increment.c, sample, 294
 - valves, sample, 277
 - var.c, sample, 52, 233
 - @var, Texinfo command, 263
 - variable, 25
 - variant, 56
 - .vbp, file extension, 227
 - vcf, sample, 401
 - vcfLicense.txt, sample, 457
 - vector, 95, 96
 - vector.s, sample, 281
 - vector, C++ library, 100
 - Vector, Java class, 319
 - version, 203
 - version control system, *see* revision control system
 - version.c, sample, 73
 - version.h, file name, 226
 - @version, javadoc tag, 263
 - vertex, 62, 131
 - vfs_bio.c, sample, 281
 - vfs_subr.c, sample, 79, 234
 - vfs_vnops.c, sample, 280
 - vgrind, program, 368
 - vi, program, 253, 340, 344, 385
 - vi, sample, 294, 347, 353
 - viewres.c, sample, 96
 - vim, program, 229, 233, 344, 345, 365
 - virtual
 - function table, 313
 - machine, 113, 279
 - method, 79, 282
 - virtual, keyword, 306
 - virus, 99
 - Visitor, design pattern, 337
 - Visual ..., *see* Microsoft ...
 - vixie-security.pdf, sample, 248
 - vixie-security.ps, sample, 248
 - vm86.c, sample, 176
 - vm_glue.c, sample, 289
 - vm_swap.c, sample, 174
 - VMS, 227
 - vn_write, 280
 - vnode.h, sample, 313
 - vnode_if.c, sample, 313
 - vnode_if.h, sample, 313
 - vnode_if.src, sample, 280, 281, 313
 - void, keyword, 317
 - volatile, keyword, 77, 168
 - VOP_STRATEGY, 281
 - VOP_WRITE, 280
 - vs_smap.c, sample, 35
 - vsnprintf, C library, 99
 - vsprintf, C library, 99

- VT-100, 222
- vtbl, 313
- vttest, 222
- vttest, sample, 222
- W**
- %W%, revision-id tag, 206
- w, Hungarian prefix, 236
- wait, Java method, 163, 164
- wait, Unix-specific function, 166
- WaitForSingleObject, Win32 SDK, 163
- wakeup, 281
- WardirContextTestCase.java, sample, 220
- warning messages, 26, 360
- wc.c, sample, 283, 372
- wd80x3.c, sample, 355
- Web browser, 186
- WebServer.java, sample, 299
- what, program, 206, 207
- while, keyword, 30, 174, 360
- wildmat.c, sample, 99
- Win32, 15, 376
- Win32 SDK
 - CloseHandle, 163
 - CreateEvent, 163
 - CreateMutex, 163
 - CreateThread, 162, 163
 - ExitThread, 163
 - GetCurrentThreadId, 163
 - PulseEvent, 163
 - RegCloseKey, 201
 - RegOpenKey, 201
 - RegQueryValueEx, 201
 - ReleaseMutex, 163
 - ReportEvent, 216
 - Sleep, 163
 - WaitForSingleObject, 163
 - WinMain, 20
- win32thread.c, sample, 162
- win32thread.h, sample, 162
- windiff, program, 356
- window, 294
- window manager, 286
- window.c, sample, 126
- window, sample, 268, 294
- Windows . . . , *see* Microsoft Windows . . .
- WinDump, 371
- WinMain, Win32 SDK, 20
- with, Ada keyword, 299
- Word, *see* Microsoft Word
- work crew, 156, 157
- \$workfile:\$, revision-id tag, 206
- World Wide Web, 268
- worm, 99
- worms.c, sample, 46
- Wrapper Facade, design pattern, 337
- write, blackboard operation, 270
- write, Unix-specific function, 80, 166, 280, 281
- X**
- X Window System, 158, 162, 190, 195, 201, 212, 322
- X Window System library
 - XtGetApplicationResources, 201
- X.25, 256
- xargs, program, 353
- .xbm, file extension, 227
- xcalc.c, sample, 201
- xdiff, program, 357
- xdryp.c, sample, 272
- Xev, 372
- xf86bcache.c, sample, 125
- xfontsel.c, sample, 286
- XFree86-3.3, sample, 402
- xmalloc, identifier name, 85
- Xman.ad, sample, 286
- xmessage, sample, 329
- XML, 191, 196, 261, 263, 327
- XMLByteStreamCompiler.java, sample, 299
- Xpoll.h, sample, 116, 117
- .Xr, troff command, 262
- xref.c, sample, 63, 126
- xref.h, sample, 63
- @xref, Texinfo command, 263
- Xrm.c, sample, 117
- XrmUniqueQuark, 158

490 Index

Xserver, sample, 268
Xt, 286, 329
Xt, sample, 313
XtGetApplicationResources,
 X-Windows library, 201
Xthreads.h, sample, 162
Xtransam.c, sample, 158
xxdiff, program, 357
xxgdb, program, 374
XXX, identifier name, 233, 354

Y

%Y%, revision-id tag, 206
.y, file extension, 228
yacc, 130, 191, 194, 228
yes.c, sample, 11

yield, Java method, 163
yp_first.c, sample, 272
ypserv.c, sample, 272

Z

%Z%, revision-id tag, 206
.Z, file extension, 227
Zc, editor command, 345
zic.c, sample, 334
Zm, editor command, 345
Zo, editor command, 345
zombie, 166
zopen.c, sample, 35, 65, 74
Zr, editor command, 345
zsh, program, 353
zutil.h, sample, 296